

DITA NG

A RelaxiNG implementation of DITA

George Cristian Bina

george@oxygenxml.com



Presentation overview

Presentation overview

- Short introduction to DITA

Presentation overview

- Short introduction to DITA
- Short introduction to Relax NG

Presentation overview

- Short introduction to DITA
- Short introduction to Relax NG
- **Why DITA/Relax NG do not work**

Presentation overview

- Short introduction to DITA
- Short introduction to Relax NG
- Why DITA/Relax NG do not work
- How can we make DITA/Relax NG work

Presentation overview

- Short introduction to DITA
- Short introduction to Relax NG
- Why DITA/Relax NG do not work
- How can we make DITA/Relax NG work
- **Support for a:defaultValue annotations**

Presentation overview

- Short introduction to DITA
- Short introduction to Relax NG
- Why DITA/Relax NG do not work
- How can we make DITA/Relax NG work
- Support for a:defaultValue annotations
- Relax NG schemas for DITA 1.2

Presentation overview

- Short introduction to DITA
- Short introduction to Relax NG
- Why DITA/Relax NG do not work
- How can we make DITA/Relax NG work
- Support for a:defaultValue annotations
- Relax NG schemas for DITA 1.2
- Putting everything together: demo editing, validation and transformations

Presentation overview


- [Short introduction to DITA](#)
- Short introduction to Relax NG
- Why DITA/Relax NG do not work
- How can we make DITA/Relax NG work
- Support for a:defaultValue annotations
- Relax NG schemas for DITA 1.2
- Putting everything together: demo editing, validation and transformations

DITA


DITA

- 
- BASE
- Topic
 - Map


DITA




DITA




DITA



DITA



DITA



The same mechanism is applied also for user defined specializations

DITA samples - concept

```
<!DOCTYPE concept PUBLIC "-//OASIS//DTD DITA Concept//EN"
"http://docs.oasis-open.org/dita/v1.1/OS/dtd/concept.dtd">
<concept id="toolsconcept" xml:lang="en-us">
  <title>Tools</title>
  <shortdesc>Invest in a good set of tools for doing all kinds of tasks around the house.</shortdesc>
  <conbody>
    <p>Useful tools include the following items:</p>
    <ul>
      <li>Hammer</li>
      <li>Screw driver set</li>
      <li>Wrench set</li>
      <li>Nails and screws</li>
      <li>Level</li>
      <li>Saws</li>
      <li>Drill</li>
      <li audience="expert">Air pressure gauge</li>
      <li>Spade</li>
      <li>Rake</li>
    </ul>
    <p>Keep your tools organized in a tool box which you can store in the garage.</p>
  </conbody>
  <related-links>
    <link href="toolbox.xml" format="dita" type="concept"/>
    <link href="../tasks/organizing.xml" format="dita" type="task"/>
  </related-links>
</concept>
```

DITA samples – learning overview

```
<?xml version="1.0" encoding="utf-8"?>
<!DOCTYPE learningOverview PUBLIC "-//OASIS//DTD DITA Learning Overview//EN"
"../../../../frameworks/dita/DITA-OT/demo/dita12/dtd12/learning/dtd/learningOverview.dtd">
<learningOverview id="overview">
  <title>Learning Overview topic</title>
  <shortdesc>Working outline for learning overview topic design</shortdesc>
  <learningOverviewbody>
    ...
    <lcObjectives>
      <title>Objectives</title>
      <lcObjectivesStem>When you complete this lesson, you'll know how to do the
      following:</lcObjectivesStem>
      <lcObjectivesGroup>
        <lcObjective>Creating a good learning overview topic.</lcObjective>
        <lcObjective>Identifying clear learning objectives.</lcObjective>
        <lcObjective>Adding good test items to assess knowledge gained.</lcObjective>
      </lcObjectivesGroup>
    </lcObjectives>
    ....
    <section>
      <title>Additional sections</title>
      <p>You can add additional sections to cover any other content you'd like to include in a learning
      Overview.</p>
    </section>
  </learningOverviewbody>
</learningOverview>
```

Understanding DITA

Understanding DITA

There is **one** key feature

Understanding DITA

There is **one** key feature

element names are not important, all processing
relies on **class** attribute values

Understanding DITA

```
<lcObjectivesGroup>  
  <lcObjective>Creating a good learning overview topic.</lcObjective>  
  <lcObjective>Identifying clear learning objectives.</lcObjective>  
  <lcObjective>Adding good test items to assess knowledge gained.</lcObjective>  
</lcObjectivesGroup>
```

Understanding DITA

```
<lcObjectivesGroup>  
  <lcObjective>Creating a good learning overview topic.</lcObjective>  
  <lcObjective>Identifying clear learning objectives.</lcObjective>  
  <lcObjective>Adding good test items to assess knowledge gained.</lcObjective>  
</lcObjectivesGroup>
```

lcObjectivesGroup/@class default value

- topic/ul learningBase/lcObjectivesGroup

lcObjectivesGroup/@class default value:

- topic/li learningBase/lcObjective

Understanding DITA

```
<lcObjectivesGroup>  
  <lcObjective>Creating a good learning overview topic.</lcObjective>  
  <lcObjective>Identifying clear learning objectives.</lcObjective>  
  <lcObjective>Adding good test items to assess knowledge gained.</lcObjective>  
</lcObjectivesGroup>
```

lcObjectivesGroup/@class default value

- **topic/ul** learningBase/lcObjectivesGroup

lcObjectivesGroup/@class default value:

- **topic/li** learningBase/lcObjective

Understanding DITA

```
<lcObjectivesGroup>  
  <lcObjective>Creating a good learning overview topic.</lcObjective>  
  <lcObjective>Identifying clear learning objectives.</lcObjective>  
  <lcObjective>Adding good test items to assess knowledge gained.</lcObjective>  
</lcObjectivesGroup>
```

will be processed by a tool that does not have special processing for the learning and training specialization as:

```
<ul>  
  <li>Creating a good learning overview topic.</li>  
  <li>Identifying clear learning objectives.</li>  
  <li>Adding good test items to assess knowledge gained.</li>  
</ul>
```

Presentation Overview

- Short introduction to DITA
- **Short introduction to Relax NG**
- Why DITA/Relax NG do not work
- How can we make DITA/Relax NG work
- Support for a:defaultValue annotations
- Relax NG schemas for DITA 1.2
- Putting everything together: demo editing, validation and transformations

Relax NG

Relax NG

Defines the structure of a document in terms of patterns, the grammar is the pattern that matches a valid document.

Understanding Relax NG validation

There is **one** key concept

Understanding Relax NG validation

There is **one** key concept
derivative based validation

Understanding Relax NG validation

Input: abcabc

Pattern: (a,b,c)+

Understanding Relax NG validation

Input: abcabc

Pattern: (a,b,c)+

(a,b,c)+ → **a**bcabc → (b, c), (a,b,c)*

Understanding Relax NG validation

Input: abcabc

Pattern: (a,b,c)+

(a,b,c)+ → abcabc → (b, c), (a,b,c)*

(b, c), (a,b,c)* → abcabc → c, (a,b,c)*

Understanding Relax NG validation

Input: abcabc

Pattern: (a,b,c)+

(a,b,c)+	→	abcabc	→	(b, c), (a,b,c)*
(b, c), (a,b,c)*	→	abcabc	→	c, (a,b,c)*
c, (a,b,c)*	→	abcabc	→	(a,b,c)*

Understanding Relax NG validation

Input: abcabc

Pattern: (a,b,c)+

(a,b,c)+	→	abcabc	→	(b, c), (a,b,c)*
(b, c), (a,b,c)*	→	abcabc	→	c, (a,b,c)*
c, (a,b,c)*	→	abcabc	→	(a,b,c)*
(a,b,c)*	→	abcabc	→	(b, c), (a,b,c)*

Understanding Relax NG validation

Input: abcabc

Pattern: (a,b,c)+

(a,b,c)+	→	abcabc	→	(b, c), (a,b,c)*
(b, c), (a,b,c)*	→	abcabc	→	c, (a,b,c)*
c, (a,b,c)*	→	abcabc	→	(a,b,c)*
(a,b,c)*	→	abcabc	→	(b, c), (a,b,c)*
(b, c), (a,b,c)*	→	abcabc	→	c, (a,b,c)*

Understanding Relax NG validation

Input: abcabc

Pattern: (a,b,c)+

(a,b,c)+	→	abcabc	→	(b, c), (a,b,c)*
(b, c), (a,b,c)*	→	abcabc	→	c, (a,b,c)*
c, (a,b,c)*	→	abcabc	→	(a,b,c)*
(a,b,c)*	→	abcabc	→	(b, c), (a,b,c)*
(b, c), (a,b,c)*	→	abcabc	→	c, (a,b,c)*
c, (a,b,c)*	→	abcabc	→	(a,b,c)*

Understanding Relax NG validation

Input: abcabc

Pattern: (a,b,c)+

(a,b,c)+	→	abcabc	→	(b, c), (a,b,c)*
(b, c), (a,b,c)*	→	abcabc	→	c, (a,b,c)*
c, (a,b,c)*	→	abcabc	→	(a,b,c)*
(a,b,c)*	→	abcabc	→	(b, c), (a,b,c)*
(b, c), (a,b,c)*	→	abcabc	→	c, (a,b,c)*
c, (a,b,c)*	→	abcabc	→	(a,b,c)*

(a,b,c)* is emptiable so the pattern (a, b, c)+ accepts the abcabc input!

Understanding Relax NG validation

The same ideas apply to Relax NG, the schema is the initial pattern and the input is the XML document split as:

- Start element tag
- Attribute name
- Attribute value
- The end of the start element tag
- Element value/text
- End element tag

Understanding Relax NG validation

There is **one** key concept

derivative based validation:

the schema pattern is successively derived against the input document

a document is valid if the resulting pattern at the end of the document is empty

Presentation Overview

- Short introduction to DITA
- Short introduction to Relax NG
- **Why DITA/Relax NG do not work**
- How can we make DITA/Relax NG work
- Support for a:defaultValue annotations
- Relax NG schemas for DITA 1.2
- Putting everything together: demo editing, validation and transformations

Why DITA/Relax NG do not work

There should be some reasons why a Relax NG implementation of DITA was not available before

DITA class values

The DITA class attribute values are specified in the DTD/Schema as default values

(it would not be practical to request each author to enter those values for each element)

Some Relax NG design decisions

Some Relax NG design decisions

- No specified way to associate a document with a schema

Some Relax NG design decisions

- No specified way to associate a document with a schema
- No infoset contributions, that means no default values

We identified the main issue

- DITA needs default values for class attributes in order to work in the real life
- Relax NG does not provide neither schema association nor default values

Presentation Overview

- Short introduction to DITA
- Short introduction to Relax NG
- Why DITA/Relax NG do not work
- **How can we make DITA/Relax NG work**
- Support for a:defaultValue annotations
- Relax NG schemas for DITA 1.2
- Putting everything together: demo editing, validation and transformations

How can we make DITA/Relax NG work

Schema association solutions

Schema association solutions

- application specific processing instructions

Schema association solutions

- application specific processing instructions
- application level user preferences

Schema association solutions

- application specific processing instructions
- application level user preferences
- xml-model processing instruction from W3C

Default values

Default values

The Relax NG DTD compatibility specification

Default values

The Relax NG DTD compatibility specification

- `a:defaultValue` annotation to specify default values

Default values

The Relax NG DTD compatibility specification

- a:defaultValue annotation to specify default values
- but there was no implementation available

Make DITA work with Relax NG

Make DITA work with Relax NG

Provide support for default values

Make DITA work with Relax NG

Provide support for default values

Write the Relax NG schemas and specify the default values using `a:defaultValue` annotations

Make DITA work with Relax NG

Provide support for default values

Write the Relax NG schemas and specify the default values using `a:defaultValue` annotations

Update the processing workflow to use the support for default values based on Relax NG

Presentation Overview

- Short introduction to DITA
- Short introduction to Relax NG
- Why DITA/Relax NG do not work
- How can we make DITA/Relax NG work
- **Support for `a:defaultValue` annotations**
- Relax NG schemas for DITA 1.2
- Putting everything together: demo editing, validation and transformations

Support for default values

Support for default values

a:defaultValue annotation example:

```
<attribute name="test"  
  a:defaultValue="value"/>
```

Access to annotations

Access to annotations

- Two options

Access to annotations

- Two options
 - Trang
 - Jing

Access to annotations

- Two options
 - Trang
 - Converts from Relax NG to other schemas preserving the annotations
 - Jing

Access to annotations

- Two options
 - Trang
 - Converts from Relax NG to other schemas preserving the annotations
 - Jing
 - Does not keep any annotations

Access to annotations

- Two options
 - Trang
 - Converts from Relax NG to other schemas preserving the annotations
 - Jing
 - Does not keep any annotations

The model from Jing is parsed/simplified so extracting annotations is easier than with Trang

Extracting annotations from Jing

Extracting annotations from Jing


- Change Jing to store attribute default values annotations

Extracting annotations from Jing


- Change Jing to store attribute default values annotations
- Implement a component that parses a schema and creates a map between attributes and their default values

Xerces parser configurations

Xerces parser configurations



Xerces parser configurations



- Sample components
 - Scanner
 - Validator
 - XInclude handler
- SAX-like events but with more information

Default values XNI component

Default values XNI component

- Two roles / operation modes


Default values XNI component

- Two roles / operation modes
 - Detect the associated schema and create the attributes to default values map
 - The current implementation looks for oxygen schema association PIs


Default values XNI component

- Two roles / operation modes
 - Detect the associated schema and create the attributes to default values map
 - The current implementation looks for oXygen schema association PIs
 - On startElement events add default values when an attribute is not specified but it has a default value

Add the component to the pipeline



Add the component to the pipeline



We extend the Xerces parser configuration adding the default values component as the last component in the pipeline

Presentation Overview

- Short introduction to DITA
- Short introduction to Relax NG
- Why DITA/Relax NG do not work
- How can we make DITA/Relax NG work
- Support for a:defaultValue annotations
- [Relax NG schemas for DITA 1.2](#)
- Putting everything together: demo editing, validation and transformations

Relax NG schemas for DITA 1.2

Conversion from DTD

Conversion from DTD

Trang does a good job

Conversion from DTD

Trang does a good job, but:

- the folder structure is not preserved

Conversion from DTD

Trang does a good job, but:

- the folder structure is not preserved
- multiple versions of the same file are obtained with slightly different content (due to overwritten entities)

Conversion from DTD

Trang does a good job, but:

- the folder structure is not preserved
- multiple versions of the same file are obtained with slightly different content (due to overwritten entities)

so a manual merge is needed

Use Relax NG features

Use Relax NG features

- Combine patterns
- Redefine patterns

Use Relax NG features

- Combine patterns
- Redefine patterns
- Allow domain contributions to stay inside the domain schema, thus simplifying the schema structure

Additional schema checks

- Use Schematron to check that the domains default value matches the included domains
- Additional Schematron checks (todo)
 - Class values follow the specified format

Hint

Show a side by side comparison between Relax NG and DTD (bookmap.rng versus bookmap.dtd for example)

Conversion to RNC

Conversion to RNC

- Trang can convert each schema but we hit again the Trang limitations wrt preserving folder structure

Conversion to RNC

- Trang can convert each schema but we hit again the Trang limitations wrt preserving folder structure
- Solution:
 - an ant script that invokes Trang and performs the adjusting of the folder structure and fixes schema references

XML Catalogs

- Automatically generated from the Relax NG schemas with XSLT

Presentation Overview

- Short introduction to DITA
- Short introduction to Relax NG
- Why DITA/Relax NG do not work
- How can we make DITA/Relax NG work
- Support for a:defaultValue annotations
- Relax NG schemas for DITA 1.2
- Putting everything together: demo editing, validation and transformations

Putting everything together...

Demo time!

Some work for the future

Some work for the future

- Support for xml-model PI

Some work for the future

- Support for xml-model PI
- Support for external specification of the Relax NG schema (with a parser property)

Some work for the future

- Support for xml-model PI
- Support for external specification of the Relax NG schema (with a parser property)
- Automatic conversion to DTDs

Some work for the future

- Support for xml-model PI
- Support for external specification of the Relax NG schema (with a parser property)
- Automatic conversion to DTDs
- More work on the Relax NG schemas

Some work for the future

- Support for xml-model PI
- Support for external specification of the Relax NG schema (with a parser property)
- Automatic conversion to DTDs
- More work on the Relax NG schemas
- Integration in DITA OT

Wrap-up

Wrap-up

- DITA processing relies on class attributes

Wrap-up

- DITA processing relies on class attributes
- Relax NG validation based on derivatives

Wrap-up

- DITA processing relies on class attributes
- Relax NG validation based on derivatives
- The DTD compatibility spec enables Relax NG to work with DITA

Wrap-up

- DITA processing relies on class attributes
- Relax NG validation based on derivatives
- The DTD compatibility spec enables Relax NG to work with DITA
- Jing was modified to enable default values

Wrap-up

- DITA processing relies on class attributes
- Relax NG validation based on derivatives
- The DTD compatibility spec enables Relax NG to work with DITA
- Jing was modified to enable default values
- The DITA NG open source project contains the Xerces integration code and the Relax NG schemas – contributions are welcome!

Wrap-up

- DITA processing relies on class attributes
- Relax NG validation based on derivatives
- The DTD compatibility spec enables Relax NG to work with DITA
- Jing was modified to enable default values
- The DITA NG open source project contains the Xerces integration code and the Relax NG schemas – contributions are welcome!
- All processing works with minimal changes

Thank you!

Questions?

<oxygen/> XML Editor
<http://www.oxygenxml.com>
george@oxygenxml.com

Thank you!

Questions?

<oxygen/> XML Editor
<http://www.oxygenxml.com>
george@oxygenxml.com